

Certificate No: **TAA0000083** 

# TYPE APPROVAL CERTIFICATE

This is to certify:
That the Electric Actuator
with type designation(s) 120 series, 175 series, 176 series, 225 series, 275 series, ACB2001 series
Sesued to  Governors America Corp.  Agawam MA, United States
s found to comply with  DNV GL rules for classification - Ships
Application:  Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.
Femperature B Humidity B Vibration B EMC A
Enclosure (IP rating): Required protection according to DNV GL rules shall be provided upon installation onboard.
This Certificate is valid until 2021-02-17.  Issued at Hamburg on 2016-02-23
for <b>DNV GL</b> DNV GL local station: <b>New York</b>
Approval Engineer: <b>Jens Dietrich</b>
Duy Nam Le Head of Section

Form code: TA 1411a Revision: 2015-05 www.dnvgl.com Page 1 of 4

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

Job Id: **262.1-002277-7** Certificate No: **TAA0000083** 

## **Product description** Electric Actuators: 120 series (different wiring/harness/connectors variants): -ADC120S -ADD120S -ACB120 -ADB120 Power supply 12 or 24VDC Torque: 1,4Nm Angular Travel: 25° 175 series (different power supply, shut-off and connectors): -ACD175A -ACD175 -ADD175 -ADD175A -ADE175 -ADE175A Power supply 12 or 24VDC Force: 27.5N Operating stroke 21mm 176 series (different power supply, start / stop options, connector variants and feedback sensors): -ADD176A -ADD176AF -ADE176A -ADE176AA -ADE176AF Power supply 12 or 24VDC Force: 27.5N Operating stroke 21mm 225 series (different power supply, connector, housing, return spring, position feedback): -ACB225 -ADB225 -ADB225F -ADB225G -ADC225S -ADC225GS -ADC2251S -ADC225KS -ADD225S -ADD225GSC Power supply 12 or 24VDC Torque: 2.7Nm Max. operating shaft travel: 25° 275 series (different power supply and harness/connector variants): -ACB275C -ACB275H -ACE275H

Form code: TA 1411a Revision: 2015-05 www.dnvgl.com Page 2 of 4

-ACE275HD -ACE275J -ACE275K

Force: 58.7N

Power supply 12 or 24VDC

Operating stroke: 20mm

Job Id: **262.1-002277-7** Certificate No: **TAA0000083** 

ACB2001:

Power supply 24VDC Torque: 16.3Nm

Max. angular shaft travel: 35°.

## **Application/Limitation**

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL Rules for Ships Pt.4 Ch.9 Control and Monitoring Systems.

Cabling/Harness: Used cables shall be free of PVC and shall comply with flame retardant requirements stated in IEC 60332-1 and for bunches IEC 60332-3.

The following documentation of the actual application is to be submitted for approval in each case:

- Reference to this Type Approval Certificate
- System block diagram
- Power supply arrangement (may be part of the System block diagram)

#### Type Approval documentation

Data sheets

120 Series Actuator (PIB2010 B)

175 Series Actuator (PIB 4149 B)

176 Series Actuator (PIB2053 C)

225 Series Actuator (PIB2000 D)

275 Series (PIB2030 F)

ACB2001 Series (PIB2020 C)

Older test reports:

RMS 03-10/2000

Test report Emit Las RP 3576 F1B 95

Test report No. 03 /92 concluded 21.10.92 (275 series)

#### **Tests carried out**

Applicable Tests according to Class Guideline DNVGL-CG-0339, edition November 2015.

### **Marking of product**

The products to be marked with:

- model name
- manufacturer name
- serial number

## **Periodical assessment**

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications

Form code: TA 1411a Revision: 2015-05 www.dnvgl.com Page 3 of 4

262.1-002277-7 Job Id: Certificate No: TAA0000083

Review of possible changes in design of systems, components, materials and/or performance, and make sure that such changes do not affect the type approval given Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed at least every second year and at renewal of this certificate.

Form code: TA 1411a Revision: 2015-05 www.dnvgl.com Page 4 of 4